

MERRA Data to Support Pavement Performance Prediction


CHARLES W. SCHWARTZ
BARTON A. FORMAN

*UNIVERSITY OF MARYLAND
COLLEGE PARK, MD*




A. JAMES CLARK
SCHOOL OF ENGINEERING

Environment Effects on Pavements



Sensitivity to Weather Data


Flexible Pavements



- AC, Total Rutting most sensitive distresses (outputs)
- Annual temp, temp range most impactful inputs




MERRA vs. ASOS Coverage



A. JAMES CLARK
SCHOOL OF ENGINEERING


MERRA vs. ASOS

Temperature: Typical Short Term Comparison




Asphalt Pavement Distresses



Total Rutting (in.)



Fatigue Cracking (%)



Concrete Pavement Distresses



Benefits of MERRA

- Closer, more uniform spatial coverage
 - 1000 ASOS vs. 3000+ MERRA grid points in contiguous
 - Vast areas of US without ASOS
- Better temporal frequency and continuity
 - Continuous hourly data since 1979 → no gaps
- Better data consistency and quality
- Focuses on fundamental quantities
 - E.G., Solar radiation rather than %sunshine



Contact Info:

Dr. Charles W. Schwartz
University of Maryland
schwartz@umd.edu
+1.301.405.1962



A. JAMES CLARK
SCHOOL OF ENGINEERING